

Appendix C: MAT Tenant and Voucher System Error Messages and Codes

| | |
|---|------|
| Part 1: MAT Transmission, Tenant and Voucher Error Messages and Codes | C-3 |
| Part 2: MAT Voucher Error Messages and Codes..... | C-10 |

Appendix C: MAT Tenant and Voucher System Error Messages and Codes

Part 1 of this chapter contains the MAT Transmission, Tenant and Voucher System error messages and codes. The transmission level errors apply to both Tenant and Voucher submissions.

Part 2 of this chapter contains Additional MAT Voucher System transaction level error messages and codes.

| Part 1: MAT Transmission, Tenant and Voucher Error Messages and Codes | |
|--|--|
| Code | Error Message |
| 1 | <p>“TRANSMISSION REJECTED: INVALID TENHR DATE/TIME”</p> <p>Condition: This message is generated only for an invalid date/time in the TENHR and VCHHR. Processing resumes at the next MAT header</p> |
| 2 | <p>“TRANSMISSION REJECTED: BAD MAILBOX ID”</p> <p>Condition: This message indicates that the transmission header is misaligned, causing the entire batch to shift. Processing resumes at the next transmission header.</p> |
| 3 | <p>“MISSING BASIC RECORD, SECTION 2, FOR MAT 10”</p> <p>Condition: There must always be a basic record, Section 2, following a MAT 10 Section 1 record. All sections for this 50059 are rejected.</p> |
| 4 | <p>“MAT10 REJECTED: DUPLICATE MEMBER NUMBER RECORD IN FAMILY RECORDS”</p> <p>Condition: The value in Section 3, FIELD#3 was not unique for each member in this family. All sections for this 50059 are rejected.</p> |
| 5 | <p>“MAT10 REJECTED: NO FAMILY MEMBER RECORD FOR INCOME RECORD”</p> <p>Condition: A match condition did not occur between values in the Section 3, FIELD 3, Member Number and Section 4, FIELD 3, Member Number. All sections for this MAT10 are rejected.</p> |
| 6 | <p>“MAT10 REJECTED: MAT10 SECTION 1 HEADER RECORD NOT FOUND”</p> <p>Condition: A MAT10 Section 2, 3, 4, or 5, record was encountered and no MAT10 Section 1 record was found for this certification. All sections for this MAT10 are rejected.</p> |
| 7 | <p>“MAT10 REJECTED: MAT10 SECTION RECORDS ARE OUT OF SEQUENCE”</p> <p>Condition: MAT10 Sections were not in the following order 1, 2, 3, 4, 5. All sections for this MAT10 are rejected.</p> |
| 8 | <p>“TRANSMISSION REJECTED: TENHR NOT FIRST RECORD OR MISSING”</p> <p>Condition: The TENHR must be the first record in the file after the transmission header. The transmission will be rejected. Processing resumes at the next transmission header.</p> |
| 9 | <p>“RECORD REJECTED: TRANSACTION RELEASE/VERSION NUMBER IS INVALID”</p> <p>Condition: The MAT transaction contains a Release/Version Number that TRACS does not recognize as current. The complete transaction is</p> |

| Part 1: MAT Transmission, Tenant and Voucher Error Messages and Codes | |
|--|--|
| Code | Error Message |
| | rejected. |
| 10 | “TRANSMISSION REJECTED: INVALID CA TRANSMISSION DATE” Condition: Self-Explanatory. |
| 11 | “TRANSMISSION REJECTED: INVALID OA TRANSMISSION DATE” Condition: Self-Explanatory. |
| 12 | “FIELD EXCEEDS THE MAXIMUM AMOUNT OF DIGITS” Condition: MAT10 Section 2 Field 68 cannot be more than 4 digits. MAT30 Section 2 Fields 18, 20, 22, 23, 24, 25, 26, 27, 28, 34, 35, 36, 37, 38, 39, 40, 41, 42, 48 and MAT30 Section 6 Field 4 cannot be more than 8 digits. |
| 13 | “MAT10 REJECTED: NO FAMILY MEMBER RECORD FOR ASSET RECORD” Condition: Self-Explanatory. |
| 14 | “TRANSMISSION REJECTED: DUNS NUMBER REQUIRED FOR SUBSIDY TYPE” Condition: Self-Explanatory. |
| 17 | “TRANSMISSION REJECTED: DUNS NUMBER MUST NOT BE SPACE FILLED” Condition: Self-Explanatory. |
| 18 | “TRANSMISSION REJECTED: TIN NUMBER REQUIRED FOR DUNS NUMBER” Condition: Self-Explanatory. |
| 19 | “TRANSMISSION REJECTED: PARENT TIN NUMBER REQUIRED FOR PARENT DUNS NUMBER” Condition: Self-Explanatory. |
| 20 | “TRANSMISSION REJECTED: TIN NUMBER MUST NOT BE SPACE FILLED” Condition: Self-Explanatory. |
| 21 | “TRANSMISSION REJECTED: PARENT DUNS NUMBER MUST NOT BE SPACE FILLED” |

| Part 1: MAT Transmission, Tenant and Voucher Error Messages and Codes | |
|--|---|
| Code | Error Message |
| | Condition: Self-Explanatory. |
| 22 | “MAT30 REJECTED: CREATED BY DOES NOT CONTAIN THE SPECIFIED VALUE” Condition: Self-Explanatory. |
| 23 | “TRANSMISSION REJECTED: HISTORY BASELINE DATA SUBMITTED” Condition: Self-Explanatory. |
| 24 | “MAT30 REJECTED: MAT30 SECTION 1 HEADER RECORD NOT FOUND” Condition: Self-Explanatory. |
| A1 | “TRANSMISSION REJECTED: CONTRACT NUMBER REQUIRED FOR SUBSIDY TYPE” Condition: Self-Explanatory. |
| A2 | “TRANSMISSION REJECTED: INVALID SUBSIDY TYPE” Condition: Self-Explanatory. |
| A3 | “TRANSMISSION REJECTED: PROJECT NUMBER REQUIRED” Condition: Self-Explanatory. |
| A4 | “TRANSMISSION REJECTED: CONTRACT NUMBER NOT IN TRACS” Condition: Self-Explanatory. |
| A5 | “TRANSMISSION REJECTED: CAID ENTERED FOR NON-CA CONTRACT” Condition: Self-Explanatory. |
| A6 | “TRANSMISSION REJECTED: CA ID NOT FOUND IN TRACS” Condition: Self-Explanatory. |
| A7 | “TRANSMISSION REJECTED: CA ID REQUIRED “ Condition: Self-Explanatory. |

| Part 1: MAT Transmission, Tenant and Voucher Error Messages and Codes | |
|--|---|
| Code | Error Message |
| A8 | <p>“TRANSMISSION REJECTED: PROJECT NUMBER INVALID”</p> <p>Condition: Self-Explanatory.</p> |
| A9 | <p>“TRANSMISSION REJECTED: SUBSIDY TYPE SHOULD NOT HAVE A CONTRACT NUMBER”</p> <p>Condition: Self-Explanatory.</p> |
| A | <p>“FIELD IS NOT ALPHA”</p> <p>Condition: Self-Explanatory.</p> |
| B | <p>“SEE MAT CALCULATED COUNT FOR CORRECT SEQUENCE NUMBER”</p> <p>Condition: Self-Explanatory.</p> |
| C | <p>“MAT RECORD NOT IMPLEMENTED”</p> <p>Condition: The MAT Record Format is documented “FOR FUTURE USE”. Should any of these record types be encountered in a batch, this message will be generated, and the record will be skipped.</p> |
| D | <p>“FIELD IS NOT A VALID DATE/TIME”</p> <p>Condition: Self-explanatory.</p> |
| E | <p>“TRANSMISSION REJECTED: A COUNTER IN TENHR IS INCORRECT”</p> <p>Condition: The number of MATxx records or the number of Total Records Sent in the TENHR does not equal the MAT calculated count. Processing resumes at the next MAT header.</p> |
| F | <p>“TRANSMISSION REJECTED: DUPLICATE DATE/TIME STAMP AND MAILBOX ID”</p> <p>Condition: This message would indicate that the same transmission was sent twice. Processing resumes with the next MAT header.</p> |
| G | <p>“MAT10 REJECTED: MISSING HEAD OF HOUSEHOLD IN FAMILY RECORDS”</p> <p>Condition: One family member must have an “H” coded in Section 3 FIELD #7, Relationship Code, and “01” coded in Section 3 Field #3, Member Number. All sections for this MAT10 are rejected.</p> |
| H | <p>“MAT10 REJECTED: THIS MAT10 IS REJECTED AS A DUPLICATE”</p> |

| Part 1: MAT Transmission, Tenant and Voucher Error Messages and Codes | |
|--|--|
| Code | Error Message |
| | Condition: This message indicates a duplicate MAT10 record has been found. All sections for the 50059 are rejected. |
| I | <p>“MAT70 REJECTED BECAUSE ITS ASSOCIATED MAT10 IS REJECTED AS A DUPLICATE”</p> Condition: Self-explanatory. |
| J | <p>“TRANSMISSION REJECTED: NO TENND RECORD FOUND”</p> Condition: The TENND record could not be found. The whole batch will be rejected. |
| K | <p>“TRANSMISSION REJECTED: INVALID PROJECT iMAX ID ”</p> Condition: This message is generated when the system detects an invalid iMAX ID within the TENHR. |
| L | <p>“MAT10 REJECTED: RELATIONSHIP CODE AND MEMBER NUMBER ARE INCOMPATIBLE”</p> Condition: In the MAT10 Section 3 Family Record, when specifying head of household, both the relationship code and the member number must indicate values for head of household. The relationship code, FIELD #7, must equal “H”, and the member number, FIELD #3, must equal “01”. All sections for this MAT10 are rejected. |
| M | <p>“MAT10 REJECTED: MULTIPLE HEAD OF HOUSEHOLD FAMILY RECORDS”</p> Condition: A family had more than one person specified as head of household. All sections for this MAT10 are rejected. |
| N | <p>“FIELD IS NOT NUMERIC”</p> Condition: Self-explanatory. |
| O | <p>“MAT10 REJECTED: A COUNTER IN MAT10 SECTION 1 IS INCORRECT”</p> Condition: The number of Basic, Family, Income, Asset, or Worksheet records in the MAT10 SECTION 1 header does not equal the MAT calculated count. All sections for this MAT10 are rejected. |
| Q | <p>“TRANSMISSION REJECTED: THE SEQUENTIAL RECORD NUMBER IS OUT OF SEQUENCE”</p> Condition: Each record contains a sequential number named ‘Record Number’. If this number is out of sequence, this message will be generated. |
| R | <p>“TRANSMISSION REJECTED: INVALID MAT OR SEC RECORD TYPE”</p> Condition: Each record contains a record identifier, such as MAT10, or a Section Indicator such as 2. This message is generated when either <i>record</i> |

| Part 1: MAT Transmission, Tenant and Voucher Error Messages and Codes | |
|--|---|
| Code | Error Message |
| | <i>identifier or section indicator is invalid.</i> |
| S | <p>“A MANDATORY FIELD MUST NOT BE SPACE FILLED”</p> <p>Condition: Self-explanatory.</p> |
| T | <p>“RELEASE/VERSION NUMBER INVALID”</p> <p>Condition: The Release/Version Number in the Tenant TENHR or TENND, or the Voucher VCHHR or VCHND is not currently accepted by TRACS. The transmission is rejected.</p> |
| V | <p>“A MANDATORY FIELD DOES NOT CONTAIN THE SPECIFIED VALUE”</p> <p>Condition: Some mandatory fields, such as Record Identifier or Release Version, are valued. If the field does not contain the specified value, for example “MAT10”, then this message is generated.</p> |
| W | <p>“TRANSMISSION REJECTED: ONLY ONE MAT30 ALLOWED PER VCHHR BATCH”</p> <p>Condition: There can be only one MAT30 within a VCHHR through VCHND batch, but there can be multiple VCHHR through VCHND batches within a single iMAX transmission.</p> |
| X | <p>“FIELD IS NOT ALPHANUMERIC”</p> <p>Condition: Self-explanatory.</p> |
| Y | <p>“TRANSMISSION REJECTED: MIXED TENANT AND VOUCHER RECORDS IN MATHR BATCH”</p> <p>Condition: Self-explanatory.</p> |
| Z | <p>“A MANDATORY FIELD MUST NOT BE ZERO OR SPACE FILLED”</p> <p>Condition: Self-explanatory.</p> |

Part 2: MAT Voucher Error Messages and Codes

| Code | Error Message |
|-----------|--|
| V0 | <p>“MAT30 REJECTED: A COUNTER IN MAT30 SECTION 1 IS INCORRECT”</p> <p>Condition: Self-explanatory.</p> |
| V1 | <p>“TRANSMISSION REJECTED: INVALID VCHHR DATE/TIME”</p> <p>Condition: Self-explanatory.</p> |
| V2 | <p>“TRANSMISSION REJECTED: VCHHR NOT FIRST RECORD OR MISSING”</p> <p>Condition: Self-explanatory.</p> |
| V3 | <p>“TRANSMISSION REJECTED: A COUNTER IN VCHHR IS INCORRECT</p> <p>Condition: Self-explanatory.</p> |
| V4 | <p>“TRANSMISSION REJECTED: NO VCHND RECORD FOUND”</p> <p>Condition: Self-explanatory.</p> |
| V5 | <p>“TRANSMISSION REJECTED: BAD iMAX ID IN VCHHR”</p> <p>Condition: Self-explanatory.</p> |
| V6 | <p>“TRANSMISSION REJECTED: DUPLICATE DATE/TIME STAMP AND iMAX ID”</p> <p>Condition: Self-explanatory.</p> |
| V7 | <p>“MAT30 REJECTED: MAT30 SECTION RECORDS ARE OUT OF SEQUENCE</p> <p>Condition: Self-explanatory.</p> |